

Mucosoothe® Lignocaine 2% viscous

Product Description

Mucosoothe is a pink viscous solution, with a blackcurrant odour, packaged in a 200mL bottle.

Indications

Mucosoothe is indicated for the topical anaesthesia and relief of pain and discomfort of mucous membranes of the mouth, throat and upper gastrointestinal tract.



Dosage and Administration

Adults

The dose is 15mL, not more often than every three hours as required. For anaesthesia (numbing) of the mouth swish the gel for 30 seconds and then spit out. For anaesthesia (numbing) of the upper gastrointestinal tract and throat, the gel should be gargled and may be swallowed. Do not eat or drink within 60 minutes of use.

Children 3-12 years

Up to 5mL should be used as above, not more often than every three hours, as required. No more than 4 doses in 24hrs

Children under 3 years

Up to 1.25mL should be applied with a cotton swab to the area, not more often than every three hours, as required. Not to be used for teething pain. No more than 4 doses in 24hrs

Precautions

Shake the bottle well before use. For full details, refer to the product label, Consumer Medicine Information, Perrigo website or customer service on 1800 805 546.

Ingredients

Each mL contains:

- 21.3mg lignocaine hydrochloride monohydrate (equivalent to 20mg of lignocaine hydrochloride)
- Sodium methyl hydroxybenzoate
- Sodium propyl hydroxybenzoate
- Amaranth
- Blackcurrant flavour (PI number: 367)
- Carmellose sodium
- Purified water

Storage

Mucosoothe should be stored below 30°C. Store in a safe place out of reach of children.

Shelf Life

30 months from date of manufacture

Code	Presentation	Order Quantity
MUC03320F	Mucosoothe (Lignocaine 2% Viscous)	20

